

1.1 产品信息

1.1 New Weld seam test template

[SHARE](#)

Produktname / Product name: Weld seam test template
Branche / Industry: Dach / roof
Schweissverfahren / Welding Process: Überprüfen der
Schweissnaht / Checking the weld seam / 焊缝检测
Verfügbar ab / Available from:
起订日期: 即日
MOQ/MUL: 1/1

联系: neil.yuan@leister.cn

使焊缝检测变得简单!

我们最新开发的这款测试板,可以帮助用户快速简便地判断焊缝质量。

产品特点:

- 可在进行交叠焊接时,测试焊缝纵向的上层防水卷材。
- 为了准确地评估施工质量,除了标准的断面剥离测试(T型剥离),直线剥离测试(条状剥离)也是必需的测试方式。
- 人体工学设计,高效快速地测量焊缝质量。
- 材料生产商可以用来作为手动辅助工具或免费样品。
- 在设定焊接参数区间时的必备配件。

请和材料生产商联系,告知此信息。他们一定乐意得知这个消息,测试板可以简化生产商的焊接参数设定工作。

请注意: LEISTER 可以提供“设定焊接参数区间”的服务。

经验丰富的屋面施工人员都会很喜欢这款配件!

Artikel-Nummer:

- ✓ 159.514 Schweissnaht Test-Schablone

Plastic Welding > Roofing

Weld Seam Test Template

Simply check the weld seam

We have developed a template so that equipment users can judge the quality of a weld seam even more easily and quickly.

Advantages:

- Test the long side (linear) opening of the upper membrane during overlap welding. In order to make a correct assessment, apart from the standard cross-peel (T-peel) test, a linear-peel (lance peel) is necessary.
- Ergonomic and efficient work for fast determination of weld quality
- Handy aids and giveaways - also great for material manufacturers
- Essential accessories when creating a welding window

Please inform your material manufacturers about this useful tool. They will be happy because the template makes it easier for them to create welding windows.

Please note that Leister offers a “Create Welding Windows for Material Manufacturers” service.

All reputable roofers with extended know-how will enjoy it.

Article Number:

- ✓ 159.514 Weld seam test template

1.2 产品信息

1.2 New energy HT1600 D

SHARE



Produktname / Product name: energy HT1600 D
 Branche / Industry: Outdoor (generell) / Outdoor (general)
 Schweissverfahren / Welding Process: Overlap Welding
 起订日期: 2017 年 12 月 1 日
 MOQ/MUL: 1

联系: neil.yuan@leister.cn

energy HT1600D 数显控制热风工具

HT1600 D 是一款紧凑的功能齐全的手持式热风焊枪。含有强劲的马达, 数字式温度控制和显示屏。设计有内置的过热保护装置, 可以用于各种不同的应用。

另外, HT1600D 是一款售价亲民的手持热风焊枪, 使 WELDY 品牌手持焊枪的产品线更加完整。

Article-Numbers:

- ✓ 160.176 energy HT1600 D, 230 V/1600 W, CN-Stecker
- ✓ 160.170 energy HT1600 D, 230 V/1600 W, EU-Stecker
- ✓ 160.173 energy HT1600 D, 230 V/1600 W, UK-Stecker
- ✓ 160.179 energy HT1600 D, 120 V/1600 W, US-Stecker
- ✓ 160.178 energy HT1600 D, 230 V/1600 W, CN-Stecker, Kunststoff- Schweiss Kit
- ✓ 160.172 energy HT1600 D, 230 V/1600 W, EU-Stecker, Kunststoff- Schweiss Kit
- ✓ 160.175 energy HT1600 D, 230 V/1600 W, UK-Stecker, Kunststoff- Schweiss Kit
- ✓ 160.181 energy HT1600 D, 120 V/1600 W, US-Stecker, Kunststoff- Schweiss Kit
- ✓ 160.177 energy HT1600 D, 230 V/1600 W, CN-Stecker, Uberlapp Schweiss Kit
- ✓ 160.171 energy HT1600 D, 230 V/1600 W, EU-Stecker, Uberlapp Schweiss Kit
- ✓ 160.174 energy HT1600 D, 230 V/1600 W, UK-Stecker, Uberlapp Schweiss Kit
- ✓ 160.180 energy HT1600 D, 120 V/1600 W, US-Stecker, Uberlapp Schweiss Kit

Plastic Welding > Hand tools

New energy HT1600 D

energy HT1600D : Digitally Controlled Hot-Air Device

The energy HT1600 D is a compact and robust handheld hot-air unit with powerful fan, digital temperature control and digital LCD display. Thanks to integrated overheat protection this device is suitable for a variety of applications.

In addition, the energy HT1600 D is an attractively priced, handheld heat gun that complements Weldy's handheld, outdoor device portfolio, with a digital version.

Article-Numbers:

- ✓ 160.176 energy HT1600 D, 230 V/1600 W, CN-plug
- ✓ 160.170 energy HT1600 D, 230 V/1600 W, EU-plug
- ✓ 160.173 energy HT1600 D, 230 V/1600 W, UK-plug
- ✓ 160.179 energy HT1600 D, 120 V/1600 W, US-plug
- ✓ 160.178 energy HT1600 D, 230 V/1600 W, CN-plug, plastic welding kit
- ✓ 160.172 energy HT1600 D, 230 V/1600 W, EU-plug, plastic welding kit
- ✓ 160.175 energy HT1600 D, 230 V/1600 W, UK-plug, plastic welding kit
- ✓ 160.181 energy HT1600 D, 120 V/1600 W, US-plug, plastic welding kit
- ✓ 160.177 energy HT1600 D, 230 V/1600 W, CN-plug, overlap welding kit
- ✓ 160.171 energy HT1600 D, 230 V/1600 W, EU-plug, overlap welding kit
- ✓ 160.174 energy HT1600 D, 230 V/1600 W, UK-plug, overlap welding kit
- ✓ 160.180 energy HT1600 D, 120 V/1600 W, US-plug, overlap welding kit

1.3 产品信息

1.3 New nozzels energy HT1600

[SHARE](#)

Produktname / Product name: Breitschlitzdusen / Wide slot nozzles

Branche / Industry: Dach, Textile (generell) / roof, textiles (general)

Anwendung / Application: Overlap Welding

起订日期: 2017 年 11 月 1 日

MOQ/MUL: 1

联系: neil.yuan@leister.cn

Weldy 配件，适用于 HT1600 / HT1600D

信息传递：全新 20mm 扁风嘴（124.772）和 40mm 扁风嘴（124.777），基于 WELDY 焊枪 HT1600 设计。和 5mm 圆管风嘴（147.250）一样，这 2 款交叠焊接风嘴均设计有加强型锁紧支架。

有吸引力的价格：

从现在开始，我们以非常特别的价格向感兴趣的销售伙伴（价格敏感）提供这 2 款交叠焊接风嘴。或者按照客户需求定制。

这 2 款风嘴目的是用于 HT1600 和 HT1600D 热风焊枪。

Article Numbers:

- ✓ 147.250 Tubular nozzle \varnothing 5mm (reinforced)
- ✓ 124.777 Wide slot nozzle 40mm (reinforced)
- ✓ 124.772 Wide slot nozzle 20mm (reinforced)

Plastic Welding > Technical Textiles & Roofing

New energy HT1600 Nozzles

Weldy Accessories for energy HT1600 / HT1600 D

Introducing, the new, 20 mm (124.772) and 40 mm (124.777), wide slot nozzles, designed for the Weldy energy HT 1600 heat guns. Similar to the 5 mm tubular nozzle (147.250), these overlap welding nozzles feature reinforced fastening brackets.

Attractive Price

From now on, we offer these overlap welding nozzles to interested (cost-sensitive) sales partners or private label customers at a very attractive price.

The two nozzles are to be used with energy HT1600 or energy HT1600 D.

Article Numbers:

- ✓ 147.250 Tubular nozzle \varnothing 5mm (reinforced)
- ✓ 124.777 Wide slot nozzle 40mm (reinforced)
- ✓ 124.772 Wide slot nozzle 20mm (reinforced)

1.4 产品信息

1.4 New / limited cutaway

SHARE



Produktname / Product name: Handgerate, Extruder / Hand tools, extruder

Branche / Industry: Kunststoff-Schweissen (generell) / Plastic welding (general)

Anwendung / Application: Ausstellung, Training, Demonstration / Exhibition, Training, Demonstration

订购截止日期: 2017 年 11 月 30 日

MOQ/MUL: 1

联系: neil.yuan@leister.cn

限量供应: 订购设备剖面模型, 截止 11 月底

现在有特别的机会订购此模型, 用于向客户展示产品功能和质量。

应用场合: 产品培训, 展会和演示场合。

作为销售推广活动, 这些模型将只制作一批。

请最晚在 2017 年 11 月 30 日订购, 谢谢!

之后会按照订单数量生产。所以, 这次是唯一的订购机会。以下的 5 个物品将会取消。

Article-Numbers:

- ✓ 160.570 WELDPLAST S2 cutaway
- ✓ 160.572 FUSION 2 cutaway
- ✓ 160.573 TRIAC AT cutaway
- ✓ 160.574 TRIAC ST cutaway
- ✓ 160.571 energy HT1600 cutaway

Plastic Welding > various areas

New / Cutaway Equipment (Limited Time Only)

Limited: Order Cutaway Equipment until the end of November

This is a unique opportunity for all those who want to explain the functionality or quality— from within—during training sessions, exhibitions and/or demonstrations.

This is a sales promotion, and will only be produced once.

Please order by 11.30.2017 at the latest. Thank you.

The ordered quantity will then be produced. This will be your only opportunity to order these items. Afterwards, these five (5) articles will be retired.

Article-Numbers:

- ✓ 160.570 WELDPLAST S2 cutaway
- ✓ 160.572 FUSION 2 cutaway
- ✓ 160.573 TRIAC AT cutaway
- ✓ 160.574 TRIAC ST cutaway
- ✓ 160.571 energy HT1600 cutaway

1.5 产品信息

1.5 New Adjustable Tape Guide

[SHARE](#)

产品名称: 贴带导向件
应用行业: 工业纺织布
焊接工艺: 加强筋贴带
上市日期: 已上市
最小订货量: 1 个

Lead: steven.lee@leister.cn

新产品: HEMTEK ST 贴带导向件

HEMTEK ST 附件又添新成员。从现在开始, HEMTEK ST 也可快速轻松地完成贴带焊接。

该附件可完美地帮助您在材料上完成贴带作业, 对材料边缘进行加强来代替折边。

该贴带导向件广泛适用于横幅及防水布制造, 尤其适用于织物或较轻薄材料。

该贴带导向件适用于任何风嘴及贴带宽度。

Article-Numbers:

- ✓ 159.780 贴带导向件

Plastic Welding > Technical Textiles&Industrial Fabrics

New Adjustable Tape Guide

New: HEMTEK ST Adjustable Tape Guide

The HEMTEK ST's range of accessories has been extended by a guide. From now on is a tape guide available.

It is perfect if you require reinforcement tape, instead of a hem, to reinforce the edges.

The tape guide is a benefit for every banner and tarp manufacturer, especially for wire mesh or thinner/ weaker materials.

The tape guide can be steplessly adjusted to any nozzle and tape width.

Artikel-Nummer:

- ✓ 159.780 Adjustable tape guide

1.6 产品信息

1.6 New Speed Welding Nozzles

[SHARE](#)

Produktname / Product name: Schnellschweisssdusen, gebogen / Speed weld nozzle, curved

Branche / Industry: Boden / Flooring

起订日期: 即日

MOQ/MUL: 1

联系: neil.yuan@leister.cn

提供全新的快速焊接风嘴

LEISTER 扩大了地板铺装的产品线。提供全新的 5mm 和 3mm 的快速焊接风嘴，设计有窄出风口和弯曲型压头。

这种设计的风嘴尤其适合拐角和垂直部位的焊接。
注意：全新的风嘴不能装配在 MINIFLOOR 焊接机上。

Article-numbers:

- ✓ 159.848 Speed weld nozzle 5 mm with small air slot, curved
- ✓ 160.550 Speed weld nozzle 3 mm with small air slot, curved

Plastic Welding > Flooring

New Speed Welding Nozzles

New Speed Welding Nozzles Available

Leister expands its range of flooring products with the new 5 mm and 3 mm speed welding nozzles, designed with a small air slot and curved tip.

Each nozzle is excellently-suited for corner and fillet welding.

Attention: The new nozzle is not compatible with our MINIFLOOR.

Article-numbers:

- ✓ 159.848 Speed weld nozzle 5 mm with small air slot, curved
- ✓ 160.550 Speed weld nozzle 3 mm with small air slot, curved

1.7 产品信息

1.7 New Curved Speed Welding Nozzle

SHARE



Produktname / Product name: Schnellschweissdüse, gebogen / Speed welding nozzle \varnothing 5 mm bent

Branche / Industry: Apparate- und Behälterbau / apparatus and container construction

起订日期: 即日

联系: neil.yuan@leister.cn

全新弯曲型 5mm 快速焊接风嘴

客户长久以来的愿望现在终于得到了满足。全新弯曲型 5mm 快速焊接风嘴，可以在拐角和垂直位置的完美焊接。

弯头的弧度贴合，可以完美而且连续的处理拐角细节。全新的风嘴可以使用直径为 4mm 和 5mm 的焊条。

Artikel-Nummer:

- ✓ 156.470 Speed welding nozzle \varnothing 5 mm bent

Plastic Welding > Apparatus and Container Construction

New Curved Speed Welding Nozzle**New Curved 5 mm Speed Welding Nozzle,**

A long-cherished customer wish has now been fulfilled.

The new \varnothing 5 mm speed welding nozzle, with curved tip, welds perfectly in straight sections, as well as in corners.

Thanks to the tight radius, all corner details are welded perfectly and continuously. The new speed welding nozzle is designed for \varnothing 4 and \varnothing 5 mm welding rod.

Artikel-Nummer:

- ✓ 156.470 Speed welding nozzle \varnothing 5 mm bent